

Tork standard clasps are produced from Polyamide 6.6 material, which is known as the most durable of plastics. It has high strength and hardness thanks to its semi-crystalline structure. Thanks to these structural features, Tork standard clasps are the most suitable material for working under load due to their very high bending and tensile strength and low coefficient of friction. With the carbon black additive in black Tork clasps, it provides UV resistance in outdoor applications and provides excellent protection against sun rays.

- Use only high quality plastics that can be recycled in nature
- High breaking strength with low application force
- High adhesion strength
- Special design that provides ease of application
- Easy manual application

Technical Specifications

- Raw material: PA 6.6 & Solvent Tape
- Moisture Absorption: 2.7% (50% relative humidity)
- Operating temperature: -40°C to +85°C
- Application temperature: -10°C +60°C
- Burning degree: UL 94 class V2
- Halogen Free: Yes

Scope of application

- Electrical Industry
- Industrial cabling
- Energy sector
- Building and construction industry

Certificates

Reach, Rohs, Halogen free,




Application

- ▶ You can easily apply it to surfaces such as wood, oil paint, plastic, metal, glass by removing the protective paper on the product.
- ▶ The bonding surface must be dry, dust-free and oil-free.
- ▶ Can be used with all cable ties up to 4.8 mm wide
- ▶ You can mount with screws through the hole in the middle of the product in places that are subject to forcing.

Colour

- ▶ Natural
- ▶ Black



Part No.	Dimension mm			Paking unit/pcs
	A	B	C	
TRK-1919Y	19	19	3,4	20.000
TRK-2828Y	28	28	4,4	5.000